



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

Dr. Witmer Stone, in his 'Birds of New Jersey' (1908) calls this species "A rare migrant, if indeed it occurs at all in the State." It may be that this occurrence indicates a coming return to our shore as a common breeding species, if unmolested. Let us give it a good chance, as it is a most charming little spirit of the sands.—CHARLES H. ROGERS, *Princeton Museum of Zoology, Princeton, N. J.*

**Note on the Breeding of the Semipalmated Plover (*Aegialitis semipalmata*) in Nova Scotia.**—In the October, 1920, number of 'The Auk,' on page 583, Mr. Harrison F. Lewis reports the finding of the eggs of the Semipalmated Plover and several pairs of this bird at Cook's Beach, Yarmouth County, Nova Scotia, and called attention to the fact that the third edition of the 'Check-List' states that this bird breeds south only to the Gulf of St. Lawrence. On page 597 of the same number of 'The Auk' I referred to my finding of the downy young of this plover at Seal Island off the southern point of Nova Scotia in July, 1920. In the same month on the shore of Barrington Bay near Coffinscroft, I found a Semipalmated Plover performing the wounded-bird act, showing it had young in the vicinity. On July 1, 1921, I found two pairs of this bird at Advocate, Cumberland County, Nova Scotia, whose actions pointed to their breeding at this place. It is evident, therefore, that the breeding range of the Semipalmated Plover includes Nova Scotia.—CHARLES W. TOWNSEND, M. D., 98 Pickney St., Boston.

**An Unusual Dove's Nest.**—While in the little town of Worthington, a suburb of Columbus, Ohio, on May 20 and 21, I observed a Mourning Dove (*Zenaidura macroura carolinensis*) setting on a nest, built on the pipe leading from the gas range, and within three feet of the range, just below and inside the window. This nest was about the height of a man's head, from the ground.

The original nest was built by a Robin early in the spring, when a rain storm blew it down. It was in rather an insecure place, being built on the top of a four-inch pipe, but the Robin immediately rebuilt the nest, and hatched out a brood of four. Immediately after hatching, the Dove took possession, and I was told by my friend, whom I was visiting, that she had been using it about ten days. This occurrence was rather unique to me. We often here see dove nests on the ground or very near it, but never in situations on the side of a residence as this was.—PETER A. BRANNON, *Montgomery, Ala.*

**The Turkey Vulture in Michigan.**—Occasional specimens of the Turkey Vulture (*Cathartes aura septentrionalis*) have been recorded throughout the State, though principally in the southern counties of the Lower Peninsula. Some have, however, been seen as far north as Delta